MADE WITH SOUL





MAZDA2





MADE WITH SOUL

From perfecting the rotary engine and winning the Le Mans race the first time we entered it, to breaking the world record for the most-sold two-seater convertible in history, we are driven forward by the desire to defy convention. We believe that if you can imagine it, we can make it happen.

This desire is the fuel behind everything we create and achieve and now, it has given us **SKYACTIV TECHNOLOGY**, **'KODO - Soul of Motion'** design and countless other successes that were once considered impossible feats. These pages show how striving to do what others cannot is not only rewarding but also integral to creating innovative, beautiful cars.



MAZDA2

FREEDOM STARTS NOW

From the moment you start your Mazda2, you feel the exhilaration that happens when a range of perfectly designed parts work in harmony and come to life in motion. It's a feeling that can be captured through the Japanese expression 'Jinba-Ittai', the bond between a horse and rider. It's the beauty of freedom to go anywhere.

This is a small car that's taken a big leap forward. The Mazda2 rewards you with sophisticated design, while its **SKYACTIV Technology** unlocks quick-witted agility and outstanding fuel economy. Connectivity is a seamless part of the artistry, and the safety features are the most advanced around. Its forward-thinking performance is matched with an elegantly flowing 'KODO – Soul of Motion' design that reflects the dynamic beauty of an animal leaping into action. This allows the Mazda2 to capture the imagination through this eye-catching sense of movement.





A MORE ENLIGHTENED DRIVE

Getting around never felt so good. The Mazda2 is light on its feet around town, smooth-riding and sure of itself, everywhere you go. At every level, breakthrough **SKYACTIV Technology** has reduced weight and ramped up efficiency. The 1.5 litre engine gives you lots of go, yet uses very little fuel. The Mazda2 is available in manual or automatic transmissions – both responsive and refined. With a body that cuts quietly through the air, the Mazda2 moves you in the most enjoyable way you could imagine.



AUTOMATIC TRANSMISSION

The 6-speed (SKYACTIV-Drive) automatic transmission combines the best aspects of conventional automatic, continuously variable and dual-clutch transmissions. It also couples directly with the engine over a far wider range than other automatic transmissions, ensuring increased fuel economy and more direct power delivery. Shifts are quick and smooth.

MANUAL TRANSMISSION

The 6-speed (SKYACTIV-MT) manual transmission delivers precise, sportscar-style shifting through simplified design and a finely-honed mechanism. More compact and also much lighter than comparable transmissions, it significantly cuts internal friction to improve fuel economy.



SKYACTIV-G 1.5L PETROL ENGINE

The low weight, low friction and high efficiency fundamentals of the SKYACTIV-G petrol engine design result in sporty performance with minimised fuel use. Its 4-2-1 exhaust layout helps produce 85kW of power and 148Nm of torque, with an impressive fuel consumption of 5.7 litres per 100km when matched to the 6-speed (SKYACTIV-Drive) automatic transmission.



BODY

New-generation design and materials maximise lightness and rigidity. Key joints are strengthened by advanced techniques requiring no heavy reinforcement. High and ultra-high tensile steel cuts weight and boosts strength. Despite being light, the Mazda2 achieves outstanding collision performance.



CHASSIS

Every component has been optimised to build the sense of 'oneness' between car and driver. The lightweight front strut and rear torsion beam suspension use firmer bushings and revised geometry for sporty agility with high levels of refinement. Electric power-assisted steering saves fuel and also delivers quick handling underpinned by reassuring stability.



DRIVER-CENTRIC COCKPIT

The elegantly crafted cabin surrounds the driver with carefully positioned controls to allow for an intuitive driving experience.

HEAD-UP DISPLAY (HUD) - HAZUMI ONLY


Mazda's Head-Up Display (HUD) shows important driving information like speed, next turn directions from the satellite navigation and safety alerts. It is positioned directly in front of the driver, which means it feeds you all the information without you needing to take your eyes off the road. You can adjust the height of the display to match your eyeline.



BLIND SPOT MONITORING (BSM) - HAZUMI ONLY


By scanning external mirrors' blind spots, radars detect any unseen vehicles to help you avoid making hazardous lane changes.

The LED icon on the relevant mirror is accompanied by a warning beeper.



REAR CROSS TRAFFIC ALERT (RCTA) - HAZUMI ONLY

Rear Cross Traffic Alert (RCTA) detects an approaching vehicle when reversing. RCTA is designed to help you make sure it's safe when reversing. An LED warning icon in the door mirror flashes, and a warning beep is sounded to alert you as the driver of potential hazards when reversing. The system uses the same radars and indicators as the Blind Spot Monitoring system (BSM).



ALWAYS IN TOUCH WITH MZD CONNECT - FROM DYNAMIC

Take off in a Mazda2, and you're connected with the stuff that counts. Connect your compatible smartphone to the MZD Connect system and get access to a heap of online content, including Facebook and Twitter feeds, radio, podcasts and more. Texts can even be read out loud. It all comes together right where you need it; on a central touchscreen positioned to help you stay focused on the road. Control is effortless, with a rotary commander dial falling to hand without you even having to look. Nothing could be easier – available from the Dynamic model.

APPLE CARPLAY®



USB CONNECTIVITY: 2 PORTS*



*Available from the Dynamic.

ANDROID AUTO™



DRIVE SELECTION



Drive selection lets you switch between normal and sport mode. Standard on Automatic models only.

INTERIOR TRIM

ACTIVE MODEL



DYNAMIC MODEL



INDIVIDUAL & HAZUMI MODELS



ALLOY WHEELS

ACTIVE MODEL



15" Steel Wheels (Black)

DYNAMIC MODEL



15" Alloy Wheels (Silver Metallic)

INDIVIDUAL MODEL



16" Alloy Wheels (Black Metallic)

HAZUMI MODEL



16" Alloy Wheels (Bright)



MAZDA2 1.5L ACTIVE (MANUAL)

ACTIVE FEATURES INCLUDE:

- Max power (kW): 85 @ 6,000
- Max torque (Nm): 148 @ 4,000
- LED Headlamps
- Push start ignition
- Airbags SRS: Driver & Passenger
- Anti-lock Braking System (ABS)
- Electronic Brake-force
- Distribution (EBD)
- Emergency Brake Assist (EBA)
- Power windows: Front & Rear
- Power windows: One-touch system (Driver)

- Auto Headlamps Levelling
- Seat trim: Cloth
- Keyless Entry

(Driver)

- Digital tachometer
- USB connectivity: 1 Port
- Trip Computer
- Burglar Alarm System
- High mount brake lamp
- Height adjustable seat
- Rear seat fold down (60:40)

- Air-conditioning (Manual)
- Multi-function steering wheel with audio controls
- Tilt and telescopic adjustable steering wheel
- Bluetooth® hands free system
- AUX Jack
- 4 Speakers
- Child restraint anchor points (ISOFIX)
- 15" Steel Wheels (Black)





MAZDA2 1.5L DYNAMIC (MANUAL/AUTO)

FEATURES IN ADDITION TO ACTIVE INCLUDE:

- Dynamic Stability Control (DSC)
- Airbags SRS: Side & Curtain
- MZD Connect System
- 7-Inch Display Screen
- Commander Dial
- Apple CarPlay® and Android Auto™
- USB connectivity: 2 Ports

- 6 Speakers
- Leather-wrapped steering wheel, gearshift knob and handbrake handle
- Cruise Control
- Auto-dimming rear view mirror
- Power fold outer mirrors
- 15" Alloy Wheels (Silver Metallic)







MAZDA2 1.5L INDIVIDUAL (MANUAL/AUTO)

FEATURES IN ADDITION TO DYNAMIC INCLUDE:

- Smart Keyless Entry
- Headlamps: Auto on/off (Auto only)
- Front rain-sensing wipers
- Auto fold outer mirrors
- Seat trim: Leather & Cloth
- Paddle transmission switches (Auto only)
- Privacy glass (Rear side & Back)

- Chrome bumper strip (Front & Rear)
- Chrome exhaust extension
- Reverse Camera
- Parking Sensors (Rear)
- Shark Fin Antenna
- Wireless Charging (Auto only)
- 16" Alloy Wheels (Black Metallic)





MAZDA2 1.5L HAZUMI (AUTO)

FEATURES IN ADDITION TO INDIVIDUAL INCLUDE:

- Head-Up Display (HUD)
- Blind Spot Monitoring (BSM)
- Rear Cross Traffic Alert (RCTA)
- Air-conditioning (Auto)

- Analogue tachometer
- Integrated Navigation
- 16" Alloy Wheels (Bright)



COLOUR RANGE



DEEP CRYSTAL BLUE





MACHINE GREY



SNOWFLAKE WHITE PEARL



SOUL RED CRYSTAL



POLYMETAL GREY



TITANIUM FLASH

SONIC SILVER

ARCTIC WHITE



CERAMIC



PLATINUM QUARTZ

3-YEAR MAZDA UNLIMITED KILOMETRE WARRANTY

Every Mazda is designed and built to the highest standards of performance and reliability. To give you further reassurance on how much we believe in our vehicles, our Mazda vehicles are backed up by a 3-year Unlimited Kilometre Factory Warranty.

3-YEAR MAZDACARE ROADSIDE ASSISTANCE

Mazda cares about offering you peace-of-mind motoring. That is why we offer a 3-year Unlimited Roadside Assistance Plan to keep you moving every minute of the year. It includes toll-free calls and services such as free towing rescue due to minor or major mishaps and emergency medical help.

3-YEAR MAZDACARE UNLIMITED KILOMETRE SERVICE PLAN

MazdaCare has designed a service plan to suit your needs. It covers scheduled services for 3 years, regardless of your mileage. The service plan operates alongside the Mazda Unlimited Kilometre Warranty.



Mazda2 Hatchback	1.5 Active	1.5 Dynamic	1.5 Dynamic Auto	1.5 Individual	1.5 Individual Auto	1.5 Hazumi Auto
Powertrain						
Engine type	1.5 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G)					
Bore and stroke (mm)	74.5 x 85.8					
Compression ratio	12.0:1	13.0:1	13.0:1	13.0:1	13.0:1	14.0:1
Engine capacity (cc)	1,496	1,496	1,496	1,496	1,496	1,496
Drive	FWD	FWD	FWD	FWD	FWD	FWD
Power (kW@rpm)	85 @ 6,000	85 @ 6,000	85 @ 6,000	85 @ 6,000	85 @ 6,000	85 @ 6,000
Torque (Nm@rpm)	148 @ 4,000	148 @ 4,000	148 @ 4,000	148 @ 4,000	148 @ 4,000	148 @ 4,000
CO ₂ emission (g/km)	134	134	134	140	123	123
Emissions standard	Euro stage IV					
Fuel type	Petrol	Petrol	Petrol	Petrol	Petrol	Petrol
Fuel consumption - combined (L/100km)	5.7	5.7	5.7	6.0	5.3	5.3
Fuel tank capacity (L)	44	44	44	44	44	44
Top speed	188	184	188	184	184	184
Transmission						
Туре	6-Speed Manual	6-Speed Manual	6-Speed Auto	6-Speed Manual	6-Speed Auto	6-Speed Auto
Gear ratio 1st	3.529	3.529	3.529	3.529	3.529	3.529
Gear ratio 2 nd	2.025	2.025	2.025	2.025	2.025	2.025
Gear ratio 3 rd	1.348	1.348	1.348	1.348	1.348	1.348
Gear ratio 4 th	1.000	1.000	1.000	1.000	1.000	1.000
Gear ratio 5 th	0.742	0.742	0.742	0.742	0.742	0.742
Gear ratio 6 th	0.594	0.594	0.594	0.594	0.594	0.594
Reverse	2.994	2.994	2.994	2.994	2.994	2.994
Final drive	4.319	4.319	4.319	4.319	4.319	4.319

Mazda2 Hatchback	1.5 Active	1.5 Dynamic	1.5 Dynamic Auto	1.5 Individual	1.5 Individual Auto	1.5 Hazumi Auto
Chassis						
Suspension type - front	Macpherson strut	Macpherson strut				
Suspension type - rear	Torsion beam axle	Torsion beam axle				
Brake type - front	Disc - ventilated	Disc - ventilated				
Brake type - rear	Drum	Drum	Drum	Drum	Drum	Drum
Diameter front (mm)	258	258	258	258	258	258
Diameter rear (mm)	200	200	200	200	200	200
Electronic power-assisted steering	Std	Std	Std	Std	Std	Std
Turning circle curb to curb (m)	4.7	4.7	4.7	4.7	4.7	4.7
Weights and Capabilities						
Gross Vehicle Mass (kg)	1,500	1,500	1,516	1,500	1,527	1,527
Towing mass (kg) braked	750	750	250	750	250	250
Towing mass (kg) unbraked	450	450	250	450	250	250
Luggage volume (L)	250	250	250	250	250	250
Exterior Dimensions (mm)						
Length (mm)	4,065	4,065	4,065	4,065	4,065	4,065
Width (mm)	1,695	1,695	1,695	1,695	1,695	1,695
Height (mm)	1,495	1,495	1,495	1,495	1,495	1,495
Wheelbase (mm)	2,570	2,570	2,570	2,570	2,570	2,570
Front track (mm)	1,495	1,495	1,495	1,495	1,495	1,495
Rear track (mm)	1,485	1,485	1,485	1,485	1,485	1,485
Front overhang (mm)	815	815	815	815	815	815
Rear overhang (mm)	955	955	680	680	680	680

Mazda2 Hatchback	1.5 Active	1.5 Dynamic	1.5 Dynamic Auto	1.5 Individual	1.5 Individual Auto	1.5 Hazumi Auto
Exterior						
Headlamps: Auto on/off	-	-	-	•	•	•
Auto Headlamps Levelling	•	•	•	•	•	•
LED Headlamps	•	•	•	•	•	•
Power fold outer mirrors	-	•	•	•	•	•
Auto fold outer mirrors	-		-		•	•
Front rain-sensing wipers	-	-	-	•	•	•
Shark Fin Antenna	-	-	-	•	•	•
Privacy glass (Rear side & Back)	-	-	-	•	•	•
Chrome bumper strip (Front & Rear)	-	-		•	•	•
Chrome exhaust extension	-	-	-	•	•	•
Keyless Entry	•	•	•	-	-	-
Smart Keyless Entry	-		-	•		•
Interior						
Head-Up Display (HUD)	-	-	-	-	-	•
Air-conditioning	Manual	Manual	Manual	Manual	Manual	Auto
Ambient temperature display	•	•	•	•	•	•
Cruise Control	-	•	•	•	•	•
Leather-wrapped steering wheel	-	•	•	•	•	•
Leather-wrapped gear shift knob	-	•	•	•	•	•
Leather-wrapped handbrake handle	-	•	•	•	•	•
Auto-dimming rear view mirror	-	•		•		•
Multi-function steering wheel with audio controls	•	•	•		•	•

Mazda2 Hatchback	1.5 Active	1.5 Dynamic	1.5 Dynamic Auto	1.5 Individual	1.5 Individual Auto	1.5 Hazumi Auto
Interior						
Tilt and telescopic adjustable steering wheel	•	•	•	•	•	•
Paddle transmission switches	-	-	-	-	•	•
Trip Computer		•	•	•	•	•
Push start ignition	•	•	•	•	•	•
Digital tachometer	•	•	•	•	•	-
Analogue tachometer	-	-	-	-	-	•
Seat trim	Cloth	Cloth	Cloth	Leather & Cloth	Leather & Cloth	Leather & Cloth
Height adjustable seat (Driver)	•	•	•	•	•	•
Rear seat fold down (60:40)	•	•	•	•	•	•
Vanity mirror (Front)	•	•	•	•	•	•
Map reading lights	•	•	•	•	•	•
Power windows: Front & Rear	•	•	•	•	•	•
Power windows: One-touch system (Driver)	•	•	•	•	•	•
Infotainment						
MZD Connect System	-	•	•	•	•	•
7-Inch Display Screen	-	•	•	•	•	•
Apple CarPlay® and Android Auto™	-	•	•	•	•	•
USB connectivity ports	1	2	2	2	2	2
Bluetooth® hands free system	•	•	•	•		•
AUX Jack	•	•	•	•	•	•
Integrated Navigation	-	0	0	0	0	•
Speaker quantity	4	6	6	6	6	6
Wireless Charging	-	-	-	-	•	•

Mazda2 Hatchback	1.5 Active	1.5 Dynamic	1.5 Dynamic Auto	1.5 Individual	1.5 Individual Auto	1.5 Hazumi Auto
Safety and Security						
Airbags SRS: Driver & Passenger	•	•	•	•	•	•
Airbags SRS: Side & Curtain	-	•	•	•	•	•
Anti-lock Braking System (ABS)	•	•	•	•	•	•
Electronic Brake-Force Distribution (EBD)	•	•	•	•	•	•
Emergency Brake Assist (EBA)	•	•	•	•	•	•
Dynamic Stability Control (DSC)	-	•	•	•	•	•
Child restraint anchor points (ISOFIX)	•	•	•	•	•	•
Blind Spot Monitoring (BSM)	-	-	-	-	-	•
Rear Cross Traffic Alert (RCTA)	-	-	-	-	-	•
Parking Sensors (Rear)	-	-	-	•	•	•
Reverse Camera	-	-	-	•	•	•
Seat-belt occupant sensing (Front)	•	•	•	•	•	•
Pretensioners, load- limiters & height adjustable shoulder anchorages	•	•	•	•	•	•
Seat-belt warning (Front & Rear)	•	•	•	•	•	•
Seat-belt 3-point lap-sash (all seats)	•	•	•	•	•	•
Burglar Alarm System	•	•	•	•	•	•
High mount brake lamp	•	•	•	•	•	•

Mazda2 Hatchback	1.5 Active	1.5 Dynamic	1.5 Dynamic Auto	1.5 Individual	1.5 Individual Auto	1.5 Hazumi Auto
Wheels and Tyres						
Wheel type	Steel (Black)	Alloy (Silver Metallic)	Alloy (Silver Metallic)	Alloy (Black Metallic)	Alloy (Black Metallic)	Alloy (Bright)
Tyre size	185/65 R15	185/65 R15	185/65 R15	185/60 R16	185/60 R16	185/60 R16
Tyre type (Spare)	Temporary (Steel)	Temporary (Steel)	Temporary (Steel)	Temporary (Steel)	Temporary (Steel)	Temporary (Steel)
Tyre size (Spare)	T125/70D15	T125/70D15	T125/70D15	T125/70D15	T125/70D15	T125/70D15
MazdaCare						
Service Plan	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km
Service Intervals	15 000km	15 000km	15 000km	15 000km	15 000km	15 000km
Warranty	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km
Roadside Assistance	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km	3-Year/ Unlimited km

- = Standard
 = Optional
- = Not available

MAZDA MAINTENANCE CHECK SHEET

Petrol and Diesel Vehicle Check Sheet

	SERVICE INTERVAL IN 15 000 KM																	
Distance and Time Maintenace Intervals	12	24	36	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270
GASOLINE ENGINES																		
Fuel filter				R				R				R				R		
Spark plugs								R								R		
Deposit cleaner (SKYACTIV engines only)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Evaporative system (if installed)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
DIESEL ENGINES																		
Valve clearance (Where applicable)				S				S				S				S		
Fuel filter		R		R		R		R		R		R		R		R		R
Fuel injection system*(1)	I			I			I			I			I			I		
GASOLINE AND DIESEL ENGINES																		
Drive belts*(2)	I	I	ı	I	ı	ı	I	I	ı	I	I	I	ı	I	I	ı	I	
Engine oil*(3)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Engine oil filters*(3)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Cooling system	I	I	ı	I	ı	ı	I	I	ı	ı	ı	I	I	ı	I	ı	I	
Engine coolant*(4)				Replace	at first 2	00 000 k	m or 10	years an	d every	100 000	km or 5	years aft	er the in	itial repla	acement.			
Air filter*(5)	С	R	С	R	С	R	С	R	С	R	С	R	С	R	С	R	С	R
Cabin air filter. pollen filter, cooling unit filter*(5)	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R
Fuel lines and hoses	I	I	ı	I	ı	ı	I	I	I	I	I	I	I	I	I	ı	I	ı
Battery electrolyte level and specific gravity*(6)	I	I	I	I	ı	ı	I	I	I	I	I	I	I	I	I	ı	I	ı
Brake lines, pipes, hoses and connections	I	I	I	I	ı	ı	I	I	I	I	I	ı	I	I	I	ı	I	I
Brake fluid*(7)	I	I	I	I	ı	R	I	I	I	I	I	R	I	I	I	ı	I	R
Parking brake	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Power brake unit	I	I	I	I	ı	I	I	I	I	I	I	I	I	I	I	ı	I	ı
Disc brakes	I	I	I	I	I	ı	I	I	I	I	I	I	I	I	I	ı	I	ı
Steering operation and linkages	I	I	ı	I	ı	ı	I	ı	ı	ı	I	I	ı	ı	I	ı	I	_
Manual transmission/gearbox oil	I	I	I	R	ı	ı	I	R	I	I	I	R	I	I	I	R	I	ı
Differential oil*(8)*(9)	I	I	I	I	ı	ı	I	R	I	I	I	I	I	I	I	R	I	ı
Automatic transmission/gearbox oil	I	I	I	I	I	I	I	R	I	I	I	I	I	I	I	R	I	I
Front and rear suspension, ball joints, stabilizers, alignment	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Drive shafts, propeller shafts, dust boots, CV joints	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Exhaust system and heat shields	I	I	I	I	I	I		I	I	ı	I	I	I	I	I	I	I	ı
All body and chassis bolts and nuts	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T
Body condition, corrosion, perforation, general condition	I	I	I	I	I	I		I	I	I	ı	I	I	I	T	I	I	ı
Tires, including the spare wheel	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	ı
Tire rotation and wheel alignment*(10)		•				•		Ever	y 15 000	km of 1	year							

Service Inspection Symbols

- I Inspect
- R Replace C - Clean
- S Set
- T Tighten

Remarks

- *(1) Implement fuel injection amount correction.
- *(2) Also inspect all auxiliary belts, if installed. If the vehicle is operated primarily under the following conditions, inspect the drive belts and auxiliary belts more often than recommended (Servicing Dealer to advise customer accordingly).
 - a) Driving in dusty conditions or in a mining area.
 - b) Extended periods of idling continuous low-speed operation.
- c) Short distance driving.
- d) Operating the vehicle in extreme cold or hot conditions for long periods.
- e) Driving the vehicle in mountainous conditions for long periods.

- *(3) If the vehicle is operated primarily under the following conditions, inspect the drive belts and auxiliary belts more often than recommended (Servicing Dealer to advise customer accordingly).
 - a) Driving in dusty conditions or in a mining area.
 - b) Extended periods of idling or continuous low-speed operation.
 - c) Short distance driving.
 - d) Operating the vehicle in extreme cold or hot conditions for long periods.
 - e) Driving the vehicle in mountainous conditions for long periods.
- *(4) Use only manufacturer-specified coolant.
- *(5) If the vehicle is operated in dusty or sandy areas, the filters must be inspected, cleaned or replaced more regularly (Servicing Dealer to advise customer accordingly).
- *(6) If operating the vehicle in extreme cold or heat, inspect electrolyte and specific gravity more regularly (Servicing Dealer to advise customer accordingly).

- *(7) Replace the brake fluid more regularly if the vehicle is continuously loaded, driven in mountainous conditions, exposed to hard driving conditions or operated in humid
- *(8) If the vehicle is subjected to the following conditions, the differential oil need to be replaced at 60 000 km.
- a) Towing.
- b) Driving in dusty conditions or in a mining area.
- c) Short distance driving.
- d) Operating the vehicle loaded continuously.
- e) Driving the vehicle in mountainous conditions for long periods.
- *(9) Replace if the component or vehicle was submerged.
- *(10) Perform wheel alignment more regularly if the vehicle is used on rougher road surfaces, driven off-road or on dirt roads (Servicing Dealer to advise customer accordingly).

MAZDA2 1.5L SERVICE AND PRICING GUIDE

Take the guesswork out of service pricing. Use the service schedule guide below to view current service details and costs.



YOUR SERVICE SUMMARY

Mazda2 1.5 Petro	azda2 1.5 Petrol Manual (This includes the Active Manual, Dynamic Manual and Individual Manual)																
Service Interval	15 000	30 000	45 000	60 000	75 000	90 000	105 000	120 000	135 000	150 000	165 000	180 000	195 000	210 000	225 000	240 000	255 000
Service Cost*	R 2 269,47	R 4 012,14	R 2 269,47	R 5 041,23	R 2 269,47	R 4 198,44	R 2 269,47	R 9 912,02	R 2 269,47	R 4 012,14	R 2 269,47	R 5 227,53	R 3 072,40	R 4 012,14	R 2 269,47	R 9 912,02	R 2 269,47
Parts	R 447,20	R 1 242,57	R 447,20	R 1 426,21	R 447,20	R 1 242,57	R 447,20	R 5 391,68	R 447,20	R 1 242,57	R 447,20	R 1 426,21	R 1 145,40	R 1 242,57	R 447,20	R 5 391,68	R 447,20
Labour	R 900,00	R 1 620,00	R 900,00	R 1 980,00	R 900,00	R 1 620,00	R 900,00	R 2 250,00	R 900,00	R 1 620,00	R 900,00	R 1 980,00	R 900,00	R 1 620,00	R 900,00	R 2 250,00	R 900,00
Consumables	R 626,25	R 626,25	R 626,25	R 977,47	R 626,25	R 788,25	R 626,25	R 977,47	R 626,25	R 626,25	R 626,25	R 1 139,47	R 626,25	R 626,25	R 626,25	R 977,47	R 626,25

Mazda2 1.5 Petr	rol Automatic (Th	his includes the	Dynamic Auto	matic, Individu	al Automatic an	d Hazumi Auto	omatic)										
Service Interval	15 000	30 000	45 000	60 000	75 000	90 000	105 000	120 000	135 000	150 000	165 000	180 000	195 000	210 000	225 000	240 000	255 000
Service Cost*	R 2 269,47	R 4 012,14	R 2 269,47	R 4430,33	R 2 269,47	R 4 198,44	R 2 269,47	R 9 197,62	R 2 269,47	R 4 012,14	R 2 269,47	R 4 616,63	R 3 072,40	R 4 012,14	R 2 269,47	R 9 197,62	R 2 269,47
Parts	R 447,20	R 1 242,57	R 447,20	R 1 426,21	R 447,20	R 1 242,57	R 447,20	R 5 391,68	R 447,20	R 1 242,57	R 447,20	R 1 426,21	R 1 145,40	R 1 242,57	R 447,20	R 5 391,68	R 447,20
Labour	R 900,00	R 1 620,00	R 900,00	R 1 800,00	R 900,00	R 1 620,00	R 900,00	R 1 980,00	R 900,00	R 1 620,00	R 900,00	R 1 800,00	R 900,00	R 1 620,00	R 900,00	R 1 980,00	R 900,00
Consumables	R 626,25	R 626,25	R 626,25	R 626,25	R 626,25	R 788,25	R 626,25	R 788,25	R 626,25								

The total service price is the base scheduled maintenance, plus any additional scheduled maintenance items that are required. Base scheduled maintenance is due every 15,000 km but no longer than 12 months, whichever comes first.

- 1. Prices are subject to change without prior notice.
- 2. The suggested price in no way dictates what is charged at each individual Mazda Dealer and should, therefore, be treated as a guideline only. Consumables include the below: however, not all consumables are included on every service

LUBRICANTS & CONSUMABLES									
1. Engine Oil	2. Manual Gearbox/Transmission Oil	3. Rear Differential Oil	4. Front Differential Oil						
5. Mazda Deposit Cleaner 6. Automatic Gearbox/Transmission Oil 7. Brake Fluid 8. Anti-freeze									



MADE WITH SOUL





MAZDA2



